

Project:	
Location:	
Model#: RMC3GWRC	Туре:
Client:	Qty:
Prepared by:	Date:

#### **SERIES SPECIFICATIONS**



The RMC3GWRC Is a thermoplastic running man LED exit combo which offers a modern look with remote capability as well as long lamp life, energy efficiency, and uniform illumination; all components feature a snap-fit construction for speed and ease of installation. Field installed heads and mounting canopy are included within the fixture. The unit also comes with a LED indicator for charge rate, "ON" and a push to test switch









#### PERFORMANCE SPECIFICATIONS

Initial Lumen Output: 2 X 150 lm

Environmental Rating(s): Damp location
Limited Product Warranty: 2 years for

battery 3 years for fixture

Beam Angle: 28.50

Ambient Operating Temp: 10°C to 40°C /

50°F to +104°F

Luminaire Type: Combo

Certification Standards: UL924, C22.2

No. 141-15

### LED SPECIFICATIONS

Source Type: LED

**Colour Temperature:** 6000

**CRI:** > 80

**L70:** >54,000 Hrs

### **ELECTRICAL SPECIFICATIONS**

Input Voltage: 120/347Vac

Current Draw at 347Vac: 24mA

Power Factor at 120Vac: > 0.7

**Max Operating Case Temperature:** 40?

Input Frequency: 50/60 Hz

Inrush Current: Power Factor at 277Vac:

> 0.7

Surge Suppression: YES

Current Draw at 120Vac: 60mA

Max On-Delay: Power Factor at 347Vac:

> 0.7

Short Circuit Protection: YES

### **EMERGENCY INFORMATION**

Input Voltage: 120/347V

Emergency Runtime: >90minutes Emergency Certifications: UL924 Max Power Input: 7.2W Battery Type: Ni-MH Standby Power: 3W

Battery Recharge Time: 24hours



Project:	
Location:	
Model#: RMC3GWRC	Туре:
Client:	Qty:
Prepared by:	Date:

### PHYSICAL SPECIFICATIONS

Finish Colour: White Mounting: Back, Top or side mount. Hou

Lens Material: Polycabonate Canopy included
Weight: 1.82 kg

Housing Material: ABS

## SHIPPING INFORMATION

**OrderingCode(s):** 0627-8574 **Box Quantity:** 1 **Box Dimensions (L-W-H):** 356 x 254 x 76

RMC3GWRC LED RM PLASTIC COMBO

Carton Dimensions (I-W-H): 410 x 370 x mm / 14 x 10 x 3 inches

2 HEAD RC 120/347V

255 mm / 0.3 x 0 x 410 inches

Carton Weight: 12.3


2 HEAD RC 120/347V 255 mm / 0.3 x 0 x 410 inches **Carton V Carton Quantity:** 6




Project:	
Location:	
Model#: RMC3GWRC	Туре:
Client:	Qty:
Prepared by:	Date:

# LINE DRAWING

## **Line Drawings**





RM3GWRC										
Installation	Т	Length			Width			Height		
Bodyonly	Α	18.20"	345mm	С	1.97"	50mm	E	9.69"	246mm	
Body with Top Ceiling Canopy	Α	18.20"	345mm	С	1.97°	50mm	F	10.04"	255mm	
Body with End Wall Canopy	В	14.57°	370mn	D	4.57°	116mm	E	11.36*	289mm	