

Project:	
Location:	
Model#: RMC3GWRC	Type:
Client:	Qty:
Prepared by:	Date:

**SERIES SPECIFICATIONS**



The RMC3GWRC Is a thermoplastic running man LED exit combo which offers a modern look with remote capability as well as long lamp life, energy efficiency, and uniform illumination; all components feature a snap-fit construction for speed and ease of installation. Field installed heads and mounting canopy are included within the fixture. The unit also comes with a LED indicator for charge rate, "ON" and a push to test switch



**PERFORMANCE SPECIFICATIONS**

**Initial Lumen Output:** 2 X 150 lm  
**Environmental Rating(s):** Damp location  
**Limited Product Warranty:** 2 years for battery 3 years for fixture

**Beam Angle:** 28.50  
**Ambient Operating Temp:** 10°C to 40°C / 50°F to +104°F

**Luminaire Type:** Combo  
**Certification Standards:** UL924, C22.2 No. 141-15

**LED SPECIFICATIONS**

**Source Type:** LED  
**Colour Temperature:** 6000K

**CRI:** > 80

**L70:** >54,000 Hrs

**ELECTRICAL SPECIFICATIONS**

**Input Voltage:** 120/347Vac  
**Current Draw at 347Vac:** 24mA  
**Power Factor at 120Vac:** > 0.7  
**Max Operating Case Temperature:** 40?

**Input Frequency:** 50/60 Hz  
**Inrush Current:** 1A  
**Power Factor at 277Vac:** > 0.7  
**Surge Suppression:** YES

**Current Draw at 120Vac:** 60mA  
**Max On-Delay:** 1S  
**Power Factor at 347Vac:** > 0.7  
**Short Circuit Protection:** YES

**EMERGENCY INFORMATION**

**Input Voltage:** 120/347V  
**Emergency Runtime:** >90minutes  
**Emergency Certifications:** UL924

**Max Power Input:** 7.2W  
**Battery Type:** Ni-MH

**Standby Power:** 3W  
**Battery Recharge Time:** 24hours



Project:	
Location:	
Model#: RMC3GWRC	Type:
Client:	Qty:
Prepared by:	Date:

PHYSICAL SPECIFICATIONS

**Finish Colour:** White  
**Lens Material:** Polycarbonate

**Mounting:** Back, Top or side mount.  
Canopy included  
**Weight:** 1.82 kg

**Housing Material:** ABS

SHIPPING INFORMATION

**OrderingCode(s):** 0627-8574  
RMC3GWRC LED RM PLASTIC COMBO 2  
HEAD RC 120/347V  
**Carton Quantity:** 6


**Box Quantity:** 1  
**Carton Dimensions (I-W-H):** 410 x 370 x  
255 mm / 0.3 x 0 x 410 inches

**Box Dimensions (L-W-H):** 356 x 254 x 76  
mm / 14 x 10 x 3 inches  
**Carton Weight:** 012.3 Kg

Project:	
Location:	
Model#: RMC3GWRC	Type:
Client:	Qty:
Prepared by:	Date:

LINE DRAWING

Line Drawings



RMC3GWRC			
Installation	Length	Width	Height
Body only	A 18.20" 345mm	C 1.97" 50mm	E 9.69" 246mm
Body with Top Ceiling Canopy	A 18.20" 345mm	C 1.97" 50mm	F 10.04" 255mm
Body with End Wall Canopy	B 14.57" 370mm	D 4.57" 116mm	E 11.36" 289mm